

KOTZIN ET AL.

"Handover During Packet Session in Wireless
Communication Networks and Methods"
Atty. Docket No. CS23254RA

Appl. No. 10/647,410
Confirm. No. 2657
Examiner J. Stein
Art Unit 2685

REMARKS

Request for Reconsideration, Informal Matters, Claims Pending

The final Office action mailed on 8 February 2006 has been considered carefully. Reconsideration of the claimed invention in view of the amendments above and the discussion below is respectfully requested.

Claims 1-5 and 7-21 are pending.

Allowability of Claims Over Coskun

Rejection Summary

Claims 1-17 stand rejected under 35 USC 102(e) for anticipation by U.S. Publication No. 2002/0082018 (Coskun).

Allowability of Claim 1

Regarding Claim 1, contrary to the Examiner's assertion, Coskun fails to disclose or suggest an

... method in a mobile communications device, the method comprising:
participating in a packet session;
autonomously selecting a handover target to which the mobile
communications device may handover;
sending handover information for the identified handover target to a packet
server while in the packet session;
receiving radio resource information for the identified handover target from
the packet server in response to sending the handover information to the packet
server.

KOTZIN ET AL.
"Handover During Packet Session in Wireless
Communication Networks and Methods"
Atty. Docket No. CS23254RA

Appl. No. 10/647,410
Confirm. No. 2657
Examiner J. Stein
Art Unit 2685

In Coskun, the HM/PSM (34) determines whether a handoff is required and, if so, the HM/PSM (34) requests that a signaling channel be allocated to the MT. Coskun, para. [0038]. Thus Coskun does not disclose a mobile communications device "...autonomously selecting a handover target to which the mobile communications device may handover..." since the HM/PSM (34) in the network of Coskun performs this function based on the PSM received from the MT. Claim 1 is thus patentably distinguished over Coskun.

Allowability of Claim 8

Regarding Claim 8, Coskun fails to disclose or suggest in combination with the limitations of Claim 1,

... identifying a plurality of potential handover targets to the packet server,
receiving radio resource information from the packet server for at least one of the handover targets identified.

Coskun merely sends pilot signal measurements (PSM) to the network, which determines whether to and when to handover the MT to a new cell. The MT in Coskun does not identify one or more handoff targets. Claim 8 is thus further patentably distinguished over Coskun.

Allowability of Claim 10

Regarding Claim 10, Coskun fails to disclose or suggest an

KOTZIN ET AL.
"Handover During Packet Session in Wireless
Communication Networks and Methods"
Atty. Docket No. CS23254RA

Appl. No. 10/647,410
Confirm. No. 2657
Examiner J. Stein
Art Unit 2685

... method in a packet server connected to a communications network,
the method comprising:
receiving information from a mobile wireless communications device
identifying a handover target autonomously selected by the mobile wireless
communications;
negotiating with a radio communications network for a radio resource
transfer for the handover target identified by the mobile wireless
communications device,
sending, from the packet server, radio resource information for the
handover target identified to the mobile wireless communications device.

In Coskun, the HM/PSM (34) determines whether a handoff is required and, if so, the HM/PSM (34) requests that a signaling channel be allocated to the MT. Coskun, para. [0038]. In Coskun, the network does not receive "...information from a mobile wireless communications device identifying a handover target autonomously selected by the mobile wireless communications..." since the HM/PSM (34) in the network of Coskun performs this function based on the PSM received from the MT. Claim 10 is thus patentably distinguished over Coskun.

Allowability of Claim 13

Regarding Claim 13, Coskun fails to disclose or suggest in combination with the limitations of Claim 10,

... receiving handover information from the mobile wireless
communications device includes receiving a plurality of handover targets
identified by the mobile wireless communications device,
sending radio resource information to the mobile wireless
communications device for at least one of the handover targets identified by
the mobile wireless communications device.

Coskun merely sends pilot signal measurements (PSM) to the network, which determines whether to and when to handover the MT to a new cell. The MT in

KOTZIN ET AL.
"Handover During Packet Session in Wireless
Communication Networks and Methods"
Atty. Docket No. CS23254RA

Appl. No. 10/647,410
Confirm. No. 2657
Examiner J. Stein
Art Unit 2685

Coskun does not identify one or more handoff targets. Claim 13 is thus further patentably distinguished over Coskun.

Allowability of Claim 15

Regarding Claim 15, contrary to the Examiner's assertion, Coskun fails to disclose or suggest an

... method in a mobile communications device in a packet session, the method comprising:
deciding to handover to a target cell;
sending handover information for the target cell to a packet server during a packet session;
receiving radio resource information from the packet server for the target cell before handing over to the target cell.

Coskun discloses a wireless communication network having a computing apparatus that allocates network resources to a mobile terminal. More particularly, in FIG. 2 of Coskun, the mobile terminal (MT) sends pilot signals measurements (PSM) to a RLA/RRM (32), which forwards the measurements to HM/PSM (34). Coskun, para. [0037]. In Coskun, the HM/PSM (34) determines whether a handoff is required and, if so, the HM/PSM (34) requests that a signaling channel be allocated to the MT. Coskun, para. [0038]. Thus Coskun does not disclose "... deciding to handover to a target cell [and] sending handover information for the target cell to a packet server during a packet session ..." in a mobile terminal since, in Coskun, the HM/PSM (34) in the network of Coskun performs this function based on the PSM provided by the MT. Claim 15 is thus patentably distinguished over Coskun.

KOTZIN ET AL.
"Handover During Packet Session in Wireless
Communication Networks and Methods"
Atty. Docket No. CS23254RA

Appl. No. 10/647,410
Confirm. No. 2657
Examiner J. Stein
Art Unit 2685

Allowability of Claim 18

Regarding Claim 8, Coskun fails to disclose or suggest in combination with the limitations of Claim 1,

... making a handover decision in the mobile communications device.

In Coskun, the HM/PSM (34) in the network makes the handover decision. Claim 18 is thus further patentably distinguished over Coskun.

Allowability of Claim 19

Regarding Claim 19, Coskun fails to disclose or suggest in combination with the limitations of Claim 10,

... negotiating with the radio communications network without making a handover decision for the mobile wireless communications device.

In Coskun, the HM/PSM (34) in the network makes the handover decision. Claim 19 is thus further patentably distinguished over Coskun.

Allowability of Claim 20

Regarding Claim 20, contrary to the Examiner's assertion, Coskun fails to disclose or suggest an

... method in a wireless communications network entity, the method comprising:
receiving handover information for a potential handover target autonomously selected by a mobile wireless communications device;

KOTZIN ET AL.

"Handover During Packet Session in Wireless
Communication Networks and Methods"
Atty. Docket No. CS23254RA

Appl. No. 10/647,410

Confirm. No. 2657

Examiner J. Stein

Art Unit 2685

communicating handover information to the potential handover target
before the mobile wireless communications device handover to the potential
handover target.

In Coskun, the HM/PSM (34) determines whether a handoff is
required and, if so, the HM/PSM (34) requests that a signaling channel be
allocated to the MT. Coskun, para. [0038]. Thus Coskun does not disclose "...
receiving handover information for a potential handover target autonomously
selected by a mobile wireless communications device...." In Coskun, the
HM/PSM (34) in the network performs this function based on the PSM
provided by the MT. Claim 20 is thus patentably distinguished over Coskun.

Prayer For Relief

In view of any amendments and the discussion above, the Claims
of the present application are in condition for allowance. Kindly withdraw any
rejections and objections and allow this application to issue as a United States
Patent without further delay.

Respectfully submitted,



ROLAND K. BOWLER II
REG. NO. 33,477

5 MAY 2006

MOTOROLA, INC.
INTELLECTUAL PROPERTY DEPT. (RKB)
600 NORTH U.S. HIGHWAY 45, W4-37Q
LIBERTYVILLE, ILLINOIS 60048

TELEPHONE NO. (847) 523-3978
FACSIMILE NO. (847) 523-2350